



# The DASH Diet

The DASH Diet helps manage high blood pressure and kidney disease with fruits, veggies, whole grains, and low-fat dairy. Discover more about its benefits.

Today's leading health organizations are heartily endorsing the DASH Diet for the informed health-conscious diner. The DASH (Dietary Approaches to Stop Hypertension) Diet has been recommended by the National Kidney Foundation and approved by The National Heart, Lung and Blood Institute, The American Heart Association, the Dietary Guidelines for Americans, and also forms the basis for the USDA MyPyramid.

## What is the DASH Diet?

The DASH Diet is rich in fruits, vegetables, low-fat dairy products, whole grains, fish, poultry, beans, seeds, and nuts. It is low in salt and sodium, added sugars and sweets, fat and red meats.

[Learn more about the DASH Diet](#)

[Get tips to tackle the DASH Diet](#)

[Check out a sample 3-day DASH Diet Meal Plan](#)

## Who is the DASH diet for?

The DASH diet is a recognized treatment for hypertension, heart disease, and kidney disease and can slow the progression of heart and kidney disease. If you already have chronic kidney disease, you should speak with your doctor and dietitian before starting any new diets as you may have special restrictions to consider. The DASH diet should *not* be used by

people on dialysis. Individuals on dialysis have special dietary needs that should be discussed with a registered dietitian.

## Example DASH diet for a 2,000 calorie diet

Food Group	Daily Servings	Serving Size
Grains <sup>1</sup>	6–8	1 Slice bread 1 oz dry cereal <sup>2</sup> ½ cup cooked rice, pasta, or cereal
Vegetables	4–5	1 cup raw leafy vegetable ½ cup cut-up raw or cooked vegetable ½ cup vegetable juice
Fruits	4–5	1 medium fruit ¼ cup dried fruit ½ cup fresh, frozen, or canned fruit ½ cup fruit juice
Fat-free or low-fat milk and milk products	2–3	1 oz milk or yogurt 1½ oz cheese
Lean meats, poultry, and fish	6 or less	1 oz cooked meats, poultry, or fish 1 egg
Nuts, seeds, and legumes	4–5 per week	1/3 cup or 1½ oz nuts 2 Tbsp peanut butter 2 Tbsp or ½ oz seeds ½ cup cooked legumes (dry beans and peas)
Fats and oils	2–3	1 tsp soft margarine 1 tsp vegetable oil 1 Tbsp mayonnaise 2 Tbsp salad dressing
Sweets and added sugars	5 or less per week	1 Tbsp sugar 1 Tbsp jelly or jam ½ cup sorbet, gelatin 1 cup lemonade

1. Whole grains are recommended for most grain servings as a good source of fiber and nutrients.

2. Serving sizes vary between ½ cup and 1½ cups, depending on cereal type. Check the product's Nutrition Facts label.

Looking for nutrition guidance? Contact a CKD dietitian in your area.



**KidneyCARE Study**  
Community Access to Research Equity™

National Kidney Foundation

**Join the  
KidneyCARE  
Study**

In this new research study, share your experience living with kidney disease to improve future kidney care.

[Join Now](#)